

Ernährung des Leistungssportlers in Training und Wettkampf

Alexandra Schek

Literatur

1. Costill DL (1988) Carbohydrates for exercise: Dietary demands for optimal performance. *Int J Sports Med* 9: 1–18
2. Jeukendrup AE (2011) Nutrition for endurance sports: Marathon, triathlon, and road cycling. *J Sports Sci* 29: S91–S99
3. Schek A. *Top-Leistung im Sport durch bedürfnisgerechte Ernährung*. Münster: Philippka-Sportverlag (2005)
4. Schek A (2008) Grundlagen der Sportlerernährung. *Ernährung* 2: 196–204 DOI:10.1007/s12082-008-0178-8
5. Schek A. *Ernährung im Top-Sport. Aktuelle Richtlinien für Bestleistungen*. Umschau Zeitschriften Verlag, Wiesbaden (2013)
6. Martins C, Morgan LM, Bloom SR, Robertson MD (2007) Effects of exercise on gut peptides, energy intake and appetite. *J Endocrinol* 193: 251–258
7. Russel R, Willis KS, Ravussin E, Larson-Meyer ED (2009) Effects of endurance running and dietary fat on circulating ghrelin and peptide YY. *J Sports Sci Med* 8: 574–583
8. Stubbs RJ, Hughes DA, Johnstone AM et al (2004) Rate and extent of compensatory changes in energy intake and expenditure in response to altered exercise and diet composition in humans. *Am J Physiol: Regulatory, Integrative and Comparative Physiology* 286: R350–R358
9. Loucks AB (2004) Energy balance and body composition in sports and exercise. *J Sports Sci* 22: 1–14
10. American College of Sports Medicine (2007) Exercise and fluid replacement. *Med Sci Sports Exerc* 39: 377–390
11. Noakes TD (2010) Is drinking to thirst optimum? *Ann Nutr Metab* 57 (Suppl 2): 9–17
12. Shirreffs SM, Sawka MN (2011) Fluid and electrolyte needs for training, competition, and recovery. *J Sports Sci* 29 (Suppl 1): S39–S46
13. Lee JKW, Shirreffs SM, Maughan RJ (2008) Cold drink ingestion improves exercise endurance capacity in the heat. *Med Sci Sports Exerc* 40: 1637–1644
14. Siegel R, Mate J, Brearley et al (2010) Icy slurry ingestion increases core temperature capacity and running time in the heat. *Med Sci Sports Exerc* 42: 717–725
15. International Olympic Committee (2004) IOC consensus statement on sports nutrition 2003 *J Sports Sci* 22:x
16. Shirreffs SM, Armstrong LE, Chevront SN (2004) Fluid and electrolyte needs for preparation and recovery from training and competition. *J Sports Sci* 22: 57–63
17. Kovacs EM, Schmahl RM, Denden JM, Brouns F (2002) Effect of high and low rates of fluid intake on post-exercise rehydration. *Int J Sport Nutr Exerc Metabol*, 12: 14–23
18. Hartmann JW, Tang JE, Wilkinson SB et al (2007) Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *Am J Clin Nutr* 86: 373–381
19. Karp JR, Johnston JD, Tecklenburg S et al (2006) Chocolate milk as a post-exercise recovery aid. *Int J Sports Nutr Exerc Metabol* 16: 78–91
20. Shirreffs SM, Watson P, Maughan RJ (2007) Milk as an effective post-exercise rehydration drink. *Br J Nutr* 98: 173–180
21. Walberg Rankin J, Goldman LP, Puglisi MJ et al. (2004) Effect of post-exercise supplement consumption on adaptations to resistance training. *J Am Coll Nutr*: 23: 322–330
22. Coyle EF (2004) Fluid and fuel intake during exercise. *J Sports Sci* 22: 39–55
23. Hargreaves M, Hawley JA, Jeukendrup, AE (2004) Preexercise carbohydrate and fat ingestion: Effects on metabolism and performance. *J Sports Sci* 22: 31–38
24. Currell K, Jeukendrup AE (2008) Superior endurance performance with ingestion of multiple transportable carbohydrates. *Med Sci Sports Exerc* 40: 275–281
25. Jeukendrup AE, Moseley L, Mainwaring GI et al. (2006) Exogenous carbohydrate oxidation during ultraendurance exercise. *J Appl Physiol* 100: 1134–1141
26. Burke LM, Cox GR, Cummings NK, Desbrow B (2001) Guidelines for daily carbohydrate intake: Do athletes achieve them? *Sports Med* 31: 267–299
27. Schek A. *Ernährungslehre kompakt. Umschau Zeitschriftenverlag, Sulzbach i. T.* (2013)
28. Beelen M, Burke LM, Gibala MJ, van Loon LJ (2010) Nutritional strategies to promote postexercise recovery. *Int J Sport Nutr Exerc Metabol* 20: 515–532
29. Berardi JM, Price TB, Noreen EE, Lemon PW (2006) Postexercise muscle glycogen recovery enhanced with a carbohydrate-protein supplement. *Med Sci Sports Exerc* 38: 1106–1113
30. Howarth KR, Moreau NA, Philipps SM, Gibala MJ (2009) Coingestion of protein with carbohydrate during recovery from endurance exercise stimulates skeletal muscle protein synthesis in humans. *J Appl Physiol* 106: 1394–1402
31. Ivy JL, Goforth HW, Damon BM, Mc Cauley TR et al (2002) Early postexercise muscle glycogen recovery is enhanced with a carbohydrate-protein supplement *J Appl Physiol* 93: 1337–1344
32. Van Loon, LJC, Saris WHM, Kruijshoop M, Wagenmakers AJM (2000) Maximizing postexercise muscle glycogen synthesis: Carbohydrate supplementation and the application of amino acid or protein hydrolysate mixtures. *Am J Clin Nutr* 72: 106–111
33. Kreider RB, Wilborn CD, Taylor M et al (2010) ISSN exercise, sport nutrition review: research recommendations. *J Int Soc Sports Nutr* 7: 1–43
34. Larson-Meyer DE, Newcomer BR, Hunter GR (2002) Influence of endurance running and recovery diet on intramyocellular lipid content in women: a ¹H NMR study. *Am J*

- Physiol Endocrinol Metab 282: E95–E106
35. Lowery LM (2004) Dietary fat and sports nutrition: a primer. *J Sport Sci Med* 3: 106–117
 36. Pendergast DR, Leddy JJ, Venkatraman, JT (2000) A perspective on fat intake in athletes. *J Am Coll Nutr* 19: 345–350
 37. Venkatraman JT, Pendergast DR (2002) Effect of dietary intake on immune function in athletes. *Sports Med* 32: 323–337
 38. McKenzie S, Philipps SM, Carter SL et al (2000) Endurance exercise training attenuates leucine oxidation and BCOAD activation during exercise in humans. *Am J Physiol: Endocrinology and Metabolism* 278: E580–E587
 39. Moore DR, Del Bel NC, Nizi KI et al (2007) Resistance training reduces fasted- and fed-state leucine turnover and increases dietary nitrogen retention in previously untrained young men. *J Nutr* 137: 985–991
 40. American College of Sports Medicine (2009) Nutrition and athletic performance. *Med Sci Sports Exerc* 41: 709–731, DOI:10.1249/MSS0b013e318190eb86
 41. Cockburn E, Stevenson E, Hayes PR et al. (2010) Effect of milk-based carbohydrate-protein supplement timing on the attenuation of exercise-induced muscle damage. *Appl Physiol Nutr Metabol* 35: 270–277
 42. Greer BK, Woodard JL, White PJ et al. (2007) Branched-chain amino acid supplementation and indicators of muscle damage after endurance exercise. *Int J Sports Nutr Exerc Metabol* 17: 595–607
 43. Rowlands DS, Rossler K, Thorp RM et al (2008) Effect of dietary protein content during recovery from high-intensity cycling on subsequent performance and markers of stress, inflammation, and muscle damage in well-trained men. *Appl Physiol Nutr Metabol* 33: 39–51
 44. Koopman R, Saris WH, Wagenmakers AJ, van Loon LJ (2007) Nutritional interventions to promote post-exercise muscle protein synthesis. *Sports Med* 37: 895–906
 45. Levenhagen DK, Gresham JD, Carlson et al (2001) Postexercise nutrient intake timing in humans is critical to recovery of leg glucose and protein homeostasis. *Am J Physiol: Endocrinology and Metabolism* 280: E982–E993
 46. Wilkinson SB, Phillips SM, Atherton et al (2008) Differential effects of resistance and endurance exercise in the fed state on signaling molecule phosphorylation and protein synthesis in human muscle. *J Physiol* 586: 3701–3717
 47. Cribb PJ, Hayes A (2006) Effects of supplement timing and resistance exercise on skeletal muscle hypertrophy. *Med Sci Sports Exerc* 38: 1918–1925
 48. Moore DR, Tang JE, Burd NA et al (2009) Differential stimulation of myofibrillar and sarcoplasmic protein synthesis with protein ingestion at rest and after resistance exercise. *J Physiol* 597: 897–904
 49. Moore DR, Robinson MJ, Fry JL et al (2009) Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *Am J Clin Nutr* 89: 161–168
 50. Phillips SM, Tang JE, Moore DR (2009) The role of milk- and soy-based protein in support of muscle protein synthesis and muscle protein accretion in young and elderly persons. *J Am Coll Nutr* 28: 343–354
 51. Wilkinson SB, Tarnopolsky MA, MacDonald MJ et al (2007) Consumption of fluid skim milk promotes greater muscle protein accretion following resistance exercise than an isonitrogenous and isoenergetic soy protein beverage. *Am J Clin Nutr* 85: 1031–1040
 52. Koopman R, Crombach N, Gijzen AP et al (2009) Ingestion of a protein hydrolysate is accompanied by an accelerated in vivo digestion and absorption rate when compared with its intact protein. *Am J Clin Nutr* 90: 106–115
 53. Manninen AH (2004) Protein hydrolysates in sports and exercise: a brief review. *J Sports Sci Med* 3: 60–63
 54. Tang JE, Moore DR, Kujbida GW et al. (2009) Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance training in young men. *J Appl Physiol* 107: 987–992
 55. Cockburn E, Bell PG, Stevenson E (2013) Effect of milk on team sport performance following exercise-induced muscle damage. *Med Sci Sports Exerc* 45: 1585–1592
 56. Gilson SF, Saunders MJ, Moran CW, Moore RW et al (2010) Effects of chocolate milk consumption on markers of muscle recovery following soccer training: A randomized cross-over study. *J Int Soc Sports Nutr* 7: 19
 57. Phillips SM, Hartman JW, Wilkinson SB (2005) Dietary protein to support anabolism with resistance exercise in young men. *J Am Coll Nutr* 24: 134S–139S
 58. Roy BD (2008) Milk: a new sports drink? A review. *J Int Soc Sports Nutr* 5: 15–20
 59. Geyer H, Parr MK, Köhler K et al. (2008) Nutritional supplements cross-contaminated and faked with doping substances. *J Mass Spectrom* 43: 892–902
 60. Lee, JKW, Maughan RJ, Shirreffs SM, Watson P (2008) Effects of milk ingestion on prolonged exercise capacity in young, healthy men. *Nutrition* 24: 340–347
 61. Beals KA (2002) Eating behaviours, nutritional status, and menstrual function in elite female adolescent volleyball players. *J Am Diet Assoc* 102: 1293–1296
 62. Machefer G, Groussard C, Zouhal H et al (2007) Nutritional and plasmatic antioxidant vitamins status of ultra endurance athletes. *J Am Coll Nutr* 26: 311–316
 63. Rankinen T, Lyytikäinen S, Vanninen E et al (1998) Nutritional status of the Finnish elite ski jumpers. *Med Sci Sports Exerc* 30: 1592–1597
 64. Faude O, Fuhrmann M, Herrmann M, Kindermann W, Urhausen A (2005) Ernährungsanalysen und Vitaminstatus bei deutschen Spitzenathleten. *Leistungssport* 35 (4): 4–9
 65. Schek A (2012) Vitamin D. *Leistungssport* 42 (2): 42 f
 66. Lappe J, Cullen D, Haynatzki G et al (2008) Calcium and vitamin D supplementation decreases incidence of stress fractures in female navy recruits. *J Bone Min Res* 23: 741–749
 67. Constantini NW, Arieli R, Chodick G, Dubnov-Raz G (2010) High prevalence of vitamin D insufficiency in athletes and dancers. *Clin J Sport Med* 20: 368–371
 68. Hamilton B, Grantham J, Racinais S, Chalabi H (2010) Vitamin D deficiency is endemic in Middle Eastern sportsmen. *Publ Health Nutr* 13: 1528–1534
 69. Lehtonen-Veromaa M, Mottonen T, Irjala K et al (1999) Vitamin D intake is low and hypovitaminosis D common in healthy 9- to 15-year-old Finnish girls. *Eur J Clin Nutr* 53: 746–751
 70. Lovell G (2008) Vitamin D status of females in an elite gymnastics program. *Clin J Sports Med* 18: 159–161
 71. Powers SK, Jackson MJ (2008) Exercise-induced oxidative stress: Cellular mechanisms and impact on muscle force production. *Physiol Rew* 88, 1243–1267
 72. Reid MB (2008) Free radicals and muscle fatigue: Of ROS, canaries, and the IOC. *Free Rad Biol Med* 44: 169–179
 73. Schroder H, Navarro E, Mora J et al. (2001) Effects of alpha-tocopherol, beta-carotene and ascorbic acid on oxidative, hormonal

- and enzymatic exercise stress markers in habitual training activity of professional basketball players. *Eur J Nutr* 40: 178–184
74. Powers SK, Nelson WB, Hudson MB (2011) Exercise-induced oxidative stress in humans: cause and consequences. *Free Rad Biol Med* 51: 942–950
75. Sen CK (2001) Antioxidants in exercise nutrition. *Sports Med* 31: 891–908
76. Gomez-Cabrera MC, Domenech E, Romagnoli M, Arduini A (2008) Oral administration of vitamin C decreases muscle mitochondrial biogenesis and hampers training-induced adaptations in endurance performance. *Am J Clin Nutr* 87: 142–149
77. Ristow M, Zarse K, Oberbach A et al. (2009) Antioxidants prevent health-promoting effects of physical exercise in humans. *Proc Nat Acad Sci USA* 106: 8665–8670
78. Huang SH, Johnson K, Pipe AL (2006) The use of dietary supplements and medications by Canadian athletes at the Atlanta and Sydney Olympic Games. *Clin J Sports Med* 16: 27–33
79. Tscholl P, Junge A, Dvorak J (2008) The use of medication and nutritional supplements during FIFA World Cups 2002 and 2006. *Br J Sports Med* 42: 725–730
80. Tscholl P, Alonso JM, Dolle G et al. (2010) The use of drugs and nutritional supplements in top-level track and field athletes, *Am J Sports Med* 38: 133–140
81. Maughan RJ, Depiesse F, Geyer H (2007) The use of dietary supplements by athletes. *J Sports Sci* 25: S103–S113
82. International Olympic Committee (2011) IOC consensus statement on sports nutrition 2010. *J Sports Sci* 29: S3–S4
83. Braun H, Koehler K, Geyer H et al (2009) Dietary supplement use among elite young German athletes. *Int J Sport Nutr Exerc Metabol* 19: 97–109
84. Geyer H, Bredehöft M, Mareck U et al. (2002) Hohe Dosen des Anabolikums Metandienon in Nahrungsergänzungsmitteln. *Deutsche Apotheken Zeitung* 142: 29
85. Maughan RJ (2005) Contamination of dietary supplements and positive drug tests in sport. *J Sports Sci* 23: 883–889
86. Geyer H, Parr MK, Mareck U et al. (2004) Analysis of non-hormonal nutritional supplements for anabolic-androgenic steroids – results of an international study. *Int J Sports Med* 25: 124–129
87. Schek A (2013) Nitrat. *Leistungssport* 43 (1): 56 f
88. Wylie LJ, Kelly J, Bailey SJ et al. (2013) Beetroot juice and exercise: pharmacodynamic and dose-response relationships. *J Appl Physiol* 115: 325–336
89. Schek A (2014) β -Hydroxy- β -Methylbutyrate (HMB). *Leistungssport* 44 (2): 37f
90. Rowlands DS, Thomson JS (2009) Effects of β -hydroxy- β -methylbutyrate supplementation during resistance training on strength, body composition, and muscle damage in trained and untrained young men: A meta-analysis. *J Strength Cond Res* 23: 836–846
91. Wilson JM, Fitschen PJ, Campbell B (2013) International Society of Sports Nutrition Position Stand: beta-hydroxy-beta-methylbutyrate (HMB). *JISSN* 10:6 DOI:10.1186/1550-2783-10-6
92. Rodriguez NR, Di Marco NM, Langley S (2009) American College of Sports Medicine position stand: Nutrition and athletic performance. *Med Sci Sports Exerc* 41: 709–731
93. Burke LM, Hawley JA, Wong SHS, Jeukendrup AE (2011) Carbohydrates for training and competition. *J Sports Sci* 29: S17–S27
94. Roy BD, Tarnopolsky MA (1998) Influence of differing macronutrient intakes on muscle glycogen resynthesis after resistance exercise. *J Appl Physiol* 84: 890–896
95. Sundgot-Borgen J, Garthe I (2011) Elite athletes in aesthetic and Olympic weight-class sports and the challenge of body weight and body composition. *J Sports Sci* 29: S101–S114
96. Ryan M. *Performance nutrition for team sports*. Velopress, Boulder (CO) (2005) (pp 87–103)