

## Strategien zur Verbesserung der Folatversorgung in Deutschland – Nutzen und Risiken

### Positionspapier der Deutschen Gesellschaft für Ernährung e. V.

Michael Krawinkel, Anja Brönstrup, Angela Bechthold, Hans Konrad Biesalski, Heiner Boeing, Ibrahim Elmadfa, Helmut Heseke, Anja Kroke, Eva Leschik-Bonnet, Helmut Oberritter und Peter Stehle

Ernährungs-Umschau 53 (2006), S. 424 ff. und 468 ff.

#### Literatur:

1. Baik HW, Russell RM: Vitamin B12 deficiency in the elderly. *Annu Rev Nutr* 1999; 19: 357-377
2. Bässler KH, Golly I, Loew D, Pietrzik K: Vitamin-Lexikon. Urban&Fischer Verlag, München, Jena, 3. Auflage, 2002
3. Beitz R, Mensink GBM, Fischer B, Thamm M: Vitamins - dietary intake and intake from dietary supplements in Germany. *Eur J Clin Nutr* 2002; 56: 539-545
4. Berry RJ, Kihlberg R, Devine O: Impact of misclassification of in vitro fertilisation in studies of folic acid and twinning: modelling using population based Swedish vital records. *BMJ* 2005; 330: 815
5. Berry RJ, Li Z, Erickson JD, et al.: Prevention of neural-tube defects with folic acid in China. China-U.S. Collaborative Project for Neural Tube Defect Prevention. *N Engl J Med* 1999; 341: 1485-1490
6. Bol KA, Collins JS, Kirby RS, for the National Birth Defects Prevention Network: Survival of infants with neural tube defects in the presence of folic acid fortification. *Pediatrics* 2006; 117: 803-813
7. Bona KH, Njølstad I, Ueland PM, et al.: Homocysteine lowering and cardiovascular events after acute myocardial infarction. *N Engl J Med* 2006; 354 (ePub)
8. Botto LD, Lisi A, Robert-Gnansia E, et al.: International retrospective cohort study of neural tube defects in relation to folic acid recommendations: are the recommendations working? *BMJ* 2005; 330: 571 (ePub 18.02.2005)
9. Burger M, Weisßenborn A, Klemm C, et al.: Möglichkeiten zur Verbesserung der Folatversorgung. *Ernährungs-Umschau* 2004; 51: 318-324
10. Centers for Disease Control and Prevention: Spina bifida and anencephaly before and after folic acid mandate – United States, 1995–1996 and 1999–2000. *Morb Mortal Wkly Rep* 2004; 53: 362-365
11. Charles D, Ness AR, Campbell D, et al.: Taking folate in pregnancy and risk of maternal breast cancer. *BMJ* 2004; 1375-1376
12. Choumenkovich SF, Selhub J, Wilson PWF: Folic acid intake from fortification in United States exceeds predictions. *J Nutr* 2002; 132: 2792-2798
13. Clarke R: Homocysteine-lowering trials for prevention of heart disease and stroke. *Semin Vasc Med* 2005; 5: 215-222
14. Clarke R, Evans JG, Schneede J, et al.: Vitamin B12 and folate deficiency in later life. *Age Ageing* 2004; 33: 34-41
15. Clarke R, Smith AD, Jobst KA, et al.: Folate, vitamin B12, and serum total homocysteine levels in confirmed Alzheimer disease. *Arch Neurol* 1998; 55: 1449-1455
16. Cuskelly GJ, McNulty H, Scott JM: Effect of increasing dietary folate on red-cell folate: implications for prevention of neural tube defects. *Lancet* 1996; 347: 657-659
17. Czeizel AE, Dobo M, Vargha P: Hungarian cohort-controlled trial of periconceptional multivitamin supplementation shows a reduction in certain congenital abnormalities. *Clin Mol Teratol* 2004; 70: 853-861
18. Czeizel AE, Metneki J, Dudas I: The higher rate of multiple births after periconceptional multivitamin supplementation: an analysis of causes. *Acta Genet Med Gemellol (Roma)* 1994; 43: 175-184
- 18a. Daly LE, Kirke PN, Molloy A et al.: Folate levels and neural tube defects. Implications for prevention. *JAMA* 1995; 274: 1698-1702
19. de Bree A, Verschuren MWM, Bjorke-Monsen AL, et al.: Effect of the methylenetetrahydrofolate reductase 677C->T mutation on the relations among folate intake and plasma folate and homocysteine concentrations in a general population sample. *Am J Clin Nutr* 2003; 77: 687-693
20. de Jong-Van den Berg LT, Hernandez-Diaz S, Werler MM, et al.: Trends and predictors of folic acid awareness and periconceptional use in pregnant women. *Am J Obstet Gynecol* 2005; 192: 121-128
21. de Wals P, Rusen ID, Lee NS, et al.: Trend in prevalence of neural tube defects in Quebec. *Birth Defects Res* 2003; 67: 919-923
22. Deutsche Gesellschaft für Ernährung e. V.: Ernährungsbericht 2004. Bonn, 2004
23. Deutsche Gesellschaft für Ernährung, Österreichische Gesellschaft für Ernährung, Schweizerische Gesellschaft für Ernährungsforschung, Schweizerische Vereinigung für Ernährung (Hrsg.): Referenzwerte für die Nährstoffzufuhr. Umschau/Braus, Frankfurt am Main, 2000
24. Deutsches Zentrum für Altersfragen: Gerostat. URL: <http://www.gerostat.de>, Zugriff 21.06.2006
25. Ebly EM, Schaefer JP, Campbell NR, Hogan DB: Folate status, vascular disease and cognition in elderly Canadians. *Age Ageing* 1998; 27: 485-491
26. Ericson A, Kallen B, Aberg A: Use of multivitamins and folic acid in early pregnancy and multiple births in Sweden. *Twin Res* 2001; 4: 63-66
27. Eurocat (European Surveillance of Congenital Anomalies) Special Report: Prevention of Neural Tube Defects by periconceptional folic acid supplementation in Europe. December 2005
- 27a. Eussen SJ, Ferry M, Hinger I et al.: Five year changes in mental health and associations with vitamin B12/folate status of elderly Europeans. *J Nutr Health Aging* 2002; 6: 43-50
28. Fehlbildungsmonitoring Sachsen-Anhalt 2006, URL: [http://www.med.uni-magdeburg.de/fme/zkh/mz/basishaefugkeiten/basishaefugkeit\\_fehlbildungen.shtml](http://www.med.uni-magdeburg.de/fme/zkh/mz/basishaefugkeiten/basishaefugkeit_fehlbildungen.shtml)
29. Forman JP, Rimm EB, Stampfer MJ, Curhan GC: Folate intake and the risk of incident hypertension among US women. *JAMA* 2005; 293: 320-329
30. French AE, Grant R, Weitzman S, et al.: Folic acid food fortification is associated with a decline in neuroblastoma. *Clin Pharmacol Ther* 2003; 74: 288-294
31. Genzel-Boroviczeny O, Hachmeister A, von Kries R: Unverändertes Risiko für Neuralrohrdefekte. Mangelhafte Umsetzung der Empfehlungen zur Folsäureprophylaxe in der Frühschwangerschaft. *Kinderärztliche Praxis* 1997; 1: 6-9
32. Gedrich K: Ökonometrische Querschnittsanalysen zum Ernährungsverhalten in Deutschland basierend auf einer Sandwich-Theory of Nutritional Behaviour und den Daten der Einkommens- und Verbrauchsstichprobe 1998. Cuvillier Verlag Göttingen 2005
33. Grünheid E: Einflüsse der Einkommenslage auf Gesundheit und Gesundheitsverhalten. Ergebnisse des Lebenserwartungssurveys des BiB. Bundesinstitut für Bevölkerungsforschung. Wiesbaden 2004, Heft 102f
34. He K, Merchant A, Rimm EB, et al.: Folate, vitamin B6, and B12 intakes in relation to risk of stroke among men. *Stroke* 2004; 35: 169-174
- 34a. Herrmann W, Obeid R, Schorr H et al.: Functional vitamin B12 deficiency and determination of holotranscobalamin in populations at risk. *Clin Chem Lab Med* 2003; 41: 1478-1488
35. Homocysteine Studies Collaboration: Homocysteine and risk of ischemic heart disease and stroke: a meta-analysis. *JAMA* 2002; 288: 2015-2022
36. The Heart Outcomes Prevention Evaluation 2 (HOPE-2) Investigators: Homocysteine lowering with folic acid and B vitamins in vascular disease. *N Engl J Med* 2006; 345 (ePub)
37. IOM (Institute of Medicine): Dietary reference intakes for thiamin, riboflavin, niacin, vitamin B6, folate, vitamin B12, pantothenic acid, biotin, and choline. National Academy Press, Washington D.C., 2000

38. Kado DM, Karlamangla AS, Huang MH, et al.: Homocysteine versus the vitamins folate, B6, and B12 as predictors of cognitive function and decline in older high-functioning adults: MacArthur Studies of Successful Aging. *Am J Med* 2005; 118: 161-167
39. Kelly P, McPartlin J, Goggins M, et al.: Unmetabolized folic acid in serum: acute studies in subjects consuming fortified food and supplements. *Am J Clin Nutr* 1997; 65: 1790-1795
40. Kersting M: Folsäure in der Kinderernährung. *Kinderärztliche Praxis* 2003; 4: 246-247
- 40 a. Kim Y-I: Folate: a magic bullet or a double edged sword for colorectal cancer prevention? *Gut* 2006; 55: 1387-1389
41. Kim Y-I: Will mandatory folic acid fortification prevent or promote cancer? *Am J Clin Nutr* 2004; 80: 1123-1128
- 41 a. Kim Y-L: Role of folate in colon cancer development and progression. *J Nutr* 2003; 133: 3731S-3739S
42. Kirke PN, Daly LE, Elwood JH: A randomised trial of low dose folic acid to prevent neural tube defects. The Irish Vitamin Study Group. *Arch Dis Child* 1992; 67: 1442-1446
43. Klerk M, Verhoef P, Clarke R, et al.: MTHFR 677C->T polymorphism and risk of coronary heart disease. A meta-analysis. *JAMA* 2002; 288: 2023-2031
44. Klusmann A, Heinrich B, Stopler H, et al.: A decreasing rate of neural tube defects following the recommendations for periconceptional folic acid supplementation. *Acta Paediatr* 2005; 94: 1538-1542
45. Kübler W et al. (Hrsg.): VERA-Schriftenreihe, Band IV: Vitaminversorgung Erwachsener in der Bundesrepublik Deutschland. Wissenschaftlicher Fachverlag Dr. Fleck, Niederkleen, 1995
46. Lewerin C, Matousek M, Steen G, et al.: Significant correlations of plasma homocysteine and serum methylmalonic acid with movement and cognitive performance in elderly subjects but no improvement from short-term vitamin therapy: a placebo-controlled randomized study. *Am J Clin Nutr* 2005; 81: 1155-1162
47. Lewis SJ, Lawlor DA, Davey Smith G, et al.: The thermolabile variant of MTHFR is associated with depression in the British Women's Heart and Health Study and a meta-analysis. *Mol Psychiatry* 2006; 11: 352-360
48. Lewis SJ, Ebrahim S, Davey Smith G: Meta-analysis of MTHFR 677C->T polymorphism and coronary heart disease: does totality of evidence support causal role for homocysteine and preventive potential of folate? *BMJ* 2005; 331 (7524): 1053 (Epub 10. Oktober 2005)
49. Li Z, Gindler J, Wang H, et al.: Folic acid supplements during early pregnancy and likelihood of multiple births: a population-based cohort study. *Lancet* 2003; 361: 380-384
50. Li DK, Daling JR, Mueller BA, et al.: Periconceptional multivitamin use in relation to the risk of congenital urinary tract anomalies. *Epidemiol* 1995; 6: 212-218
51. Liem AH, van Boven AJ, Veeger NJ, et al.: Folic Acid on Risk Diminishment After Acute Myocardial Infarction Study Group. *Int J Cardiol* 2004; 93: 175-179
52. Liem A, Reyniers-Buitenwerf GH, Zwinderman AH, et al.: Secondary prevention with folic acid: effects on clinical outcomes. *J Am Coll Cardiol* 2003; 41: 2105-2113
53. Lindeman RD, Romero LJ, Koehler KM, et al.: Serum vitamin B12, C and folate concentrations in the New Mexico elder health survey: correlations with cognitive and affective functions. *J Am Coll Nutr* 2000; 19: 68-76
54. Liu A, West R, Randell E, et al.: A comprehensive evaluation of food fortification with folic acid for the primary prevention of neural tube defects. *BioMedCentral Pregnancy and Childbirth* 2004; 4: 20
55. Lopez-Camelo JS, Orioli IM, da Graca Dutra M, et al.: Reduction of birth prevalence rates of neural tube defects after folic acid fortification in Chile. *Am J Med Genet A* 2005; 135: 120-125
56. Lumley J, Watson L, Watson M, Bower C: Periconceptional supplementation with folate and/or multivitamins for preventing neural tube defects. *Cochrane Database Syst Rev* 2001; (3): CD001056.
57. Malouf M, Grimley Evans J, Areosa SA: Folic acid with or without vitamin B12 for cognition and dementia. *Cochrane Database Syst Rev* 2003; (4): CD004514
58. Mensink G, Burger M, Beitz R, et al.: Was essen wir heute? Ernährungsverhalten in Deutschland. Robert-Koch-Institut, Berlin, 2002
59. Mertz W: Food fortification in the United States. *Nutr Rev* 1997; 55: 44-49
60. Mills JL, Von Kohorn I, Conley MR, et al.: Low vitamin B-12 concentrations in patients without anemia: the effect of folic acid fortification of grains. *Am J Clin Nutr* 2003; 77: 1474-1477
61. Mitchell LE, Adzick NS, Melchionne J, et al.: Spina bifida. *Lancet* 2004; 364: 1885-1895
62. Mooijaart SP, Gussekloo J, Frölich M, et al.: Homocysteine, vitamin B-12, and folic acid and the risk of cognitive decline in old age: the Leiden 85-Plus study. *Am J Clin Nutr* 2005; 82: 866-871
- 62 a. Morris MC, Evans DA, Bienias JL et al.: Dietary folate and vitamin B12 intake and cognitive decline among community-dwelling older persons. *Arch Neurol* 2005; 62: 641-645
63. Moyers S, Bailey LB: Fetal malformations and folate metabolism: review of recent evidence. *Nutr Rev* 2001; 59: 215-235
64. Muntjewerff JW, Kahn RS, Blom HJ, et al.: Homocysteine, methylenetetrahydrofolate reductase and risk of schizophrenia: a meta-analysis. *Mol Psychiatry* 2006; 11: 143-149
- 64 a. Obeid R, Schorr H, Eckert R et al.: Vitamin B12 status in the elderly as judged by available biochemical markers. *Clin Chem* 2004; 50: 238-241
65. Pathansali R, Mangoni AA, Creagh-Brown B, et al.: Effects of folic acid supplementation on psychomotor performance and hemorheology in healthy elderly subjects. *Arch Gerontol Geriatr* 2005; 13: Dezember (ePub)
66. Persad VL, Van den Hof MC, Dube JM, Zimmer P: Incidence of open neural tube defects in Nova Scotia after folic acid fortification. *CMAJ* 2002; 167: 241-245
67. Pfeiffer CM, Rogers LM, Bailey LB, Gregory JF III: Absorption of folate from fortified cereal-grain products and of supplemental folate consumed with or without food determined by using a dual-label stable-isotope protocol. *Am J Clin Nutr* 1997; 66: 1388-1397
68. Powers HJ: Interaction among folate, riboflavin, genotype, and cancer, with reference to colorectal and cervical cancer. *J Nutr* 2005; 135: 2960S-2966S
69. Pulikkunnel ST, Thomas SV: Neural tube defects: pathogenesis and folate metabolism. *JAPI* 2005; 53: 127-135
70. Quadri P, Fragiaco M, Pezzati R, et al.: Homocysteine, folate, and vitamin B-12 in mild cognitive impairment, Alzheimer disease, and vascular dementia. *Am J Clin Nutr* 2004; 80: 114-122
71. Queißer-Luft A: Prävention von Neuralrohrfehlbildungen. Vortrag anl. eines DGE-Workshops Folsäure am 23. März 2006 in Bonn
72. Queißer-Luft A, Wiesel A, Stolz G, et al.: Klinisches Neugeborenencreening zur Erfassung angeborener Fehlbildungen. *Monatsschr Kinderheilkd* 2001; 149: 1319-1325
73. Ramos MI, Allen LH, Mungas DM, et al.: Low folate status is associated with impaired cognitive function and dementia in the Sacramento Area Latino Study on Aging. *Am J Clin Nutr* 2005; 82: 1346-1352
74. Ranganathan LN, Ramaratnam S: Vitamins for epilepsy. *Cochrane Database Syst Rev* 2005; 18: 2
75. Ravaglia G, Forti P, Maioli F, et al.: Homocysteine and folate as risk factors for dementia and Alzheimer disease. *Am J Clin Nutr* 2005; 82: 636-643
76. Ray JG, Meier C, Vermeulen MJ, et al.: Association of neural tube defects and folic acid food fortification in Canada. *Lancet* 2002; 360: 2047-2048
77. Reynolds EH: Benefits and risks of folic acid to the nervous system. *J Neurol Neurosurg Psychiatry* 2002; 72: 567-571
78. Riggs KM, Spiro A 3<sup>rd</sup>, Tucker K, Rush D.: Relations of vitamin B-12, vitamin B-6, folate, and homocysteine to cognitive performance in the Normative Aging Study. *Am J Clin Nutr* 1996; 63: 306-314
79. Rimm EB, Willett WC, Hu FB, et al.: Folate and vitamin B6 from diet and supplements in relation to risk of coronary heart disease among women. *JAMA* 1998; 279: 359-364
80. Sanjoaquin MA, Allen N, Couto E, et al.: Folate intake and colorectal cancer risk: a meta-analytical approach. *Int J Cancer* 2005; 113: 825-828
81. Sauberlich HE: Folate status of U.S. population groups. In: Bailey LB (ed.): Folate in health and disease. Marcel Dekker, New York, USA, 1995
82. Scheler-Hofmann M, Haas JP, Partenheimer A, et al.: Einfluss sozioökonomischer Faktoren auf Schwangerschaftsplanung und Folsäureprophylaxe – Populations-basierte Daten der SniP-Studie. *Z Geburtshilfe Neonatol* 2005; 209
83. Scientific Advisory Committee on Nutrition (SACN): Folate and disease prevention. Draft report. November 2005, URL: [www.sacn.gov.uk/pdfs/report\\_folate\\_2005.pdf](http://www.sacn.gov.uk/pdfs/report_folate_2005.pdf)
84. SCF (Scientific Committee on Food): Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of Folate. SCF/CS/NUT/UPPLEV/18 Final, 2000 URL: [http://europa.eu.int/comm/food/fs/sc/scf/out80e\\_en.pdf](http://europa.eu.int/comm/food/fs/sc/scf/out80e_en.pdf)
85. Seelig M, Pöttsch S, Steinbicker V: Folsäure – ein Vitamin mit besonderer präventivmedizinischer Bedeutung. *Ernährungs-Umschau* 2005; 52: 315-319
86. Sellers TA, Grabrick DM, Vierkant RA, et al.: Does folate intake decrease risk of postmenopausal breast cancer among women with a family history? *Cancer Causes Control* 2004; 15: 113-120
87. Shaw GM, Carmichael SL, Nelson V, et al.: Food fortification with folic acid and twinning among California infants. *Am J Med Genet A* 2003; 119: 137-140
88. Sisk ER, Lockner DW, Wold R, et al.: The impact of folic acid fortification of enriched grains on an elderly population: the New Mexico Aging Process Study. *J Nutr Health Aging* 2004; 8: 140-143
89. Spence JD, Bang H, Chambless LE, Stampfer MJ: Vitamin Intervention For Stroke Prevention trial: an efficacy analysis. *Stroke* 2005; 36: 2404-2409
90. Stabler SP, Lindenbaum J, Allen RH: Vitamin B-12 deficiency in the elderly: current dilemmas. *Am J Clin Nutr* 1997; 66: 741-749

91. *Starck D*: Embryologie. Thieme-Verlag Stuttgart, 1955.
92. *Stolzenberg-Solomon RZ, Chang SC, Leitzmann MF, et al.*: Folate intake, alcohol use, and postmenopausal breast cancer risk in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. *Am J Clin Nutr* 2006; 83: 895-904
93. *Ströhle A, Wolters M, Hahn A*: Vitamin-B<sub>12</sub>-Mangel im höheren Lebensalter. Pathogenetische Aspekte eines weit verbreiteten Problems. *Ernährungs-Umschau* 2004; 51: 90-96
94. *Thamm M, Mensink GBM, Thierfelder W*: Folsäureversorgung von Frauen im gebärfähigen Alter. *Gesundheitswesen* 1999; 61: S207-S212
95. *Tölmunen T, Hintikka J, Ruusunen A, et al.*: Dietary folate and the risk of depression in Finnish middle-aged men. A prospective follow-up study. *Psychother Psychosom* 2004; 73: 334-339
96. *Toole JF, Malinow MR, Chambless LE, et al.*: Lowering homocysteine in patients with ischemic stroke to prevent recurrent stroke, myocardial infarction, and death: the Vitamin Intervention for Stroke Prevention (VISP) randomized controlled trial. *JAMA* 2004; 291: 565-575
97. *Troen AM, Mitchell B, Sorensen B, et al.*: Unmetabolized folic acid in plasma is associated with reduced natural killer cell cytotoxicity among postmenopausal women. *J Nutr* 2006; 136: 189-194
98. *Tucker KL, Qiao N, Scott T, et al.*: High homocysteine and low B vitamins predict cognitive decline in aging men: the Veterans Affairs Normative Aging Study. *Am J Clin Nutr* 2005; 82: 627-635
99. *van der Put NM, van Straaten HW, Trijbels FJ, et al.*: Folate, homocysteine and neural tube defects: an overview. *Exp Biol Med* 2001; 226: 243-270
- 99 a. *van Guelpen B, Hultdin J, Johansson I et al.*: Low folate levels may protect against colorectal cancer. *Gut* 2006; 55: 1461-1466
100. *Voutilainen S, Rissanen TH, Virtanen J, et al.*: Low dietary folate intake is associated with an excess incidence of acute coronary events: The Kuopio Ischemic Heart Disease Risk Factor Study. *Circulation* 2001; 103: 2674-2680
101. *Wald DS, Law M, Morris JK*: Homocysteine and cardiovascular disease: evidence on causality from a meta-analysis. *BMJ* 2002; 325: 1202-1206
102. *Waller DK, Tita AT, Annegers JF*: Rates of twinning before and after fortification of foods in the US with folic acid, Texas, 1996 to 1998. *Paediatr Perinat Epidemiol* 2003; 17: 378-383
103. *Wang HX, Wahlin A, Basun H, et al.*: Vitamin B(12) and folate in relation to the development of Alzheimer's disease. *Neurology* 2001; 56: 1188-1194
104. *Weißborn A, Burger M, Mensink GBM, et al. (Hrsg.)*: Folsäureversorgung der deutschen Bevölkerung. Abschlussbericht zum Forschungsvorhaben. BfR-Wissenschaft 01/2005, URL: [http://www.bfr.bund.de/cm/238/Folsaeurevorsorge\\_der\\_deutschen\\_Bevölkerung.pdf](http://www.bfr.bund.de/cm/238/Folsaeurevorsorge_der_deutschen_Bevölkerung.pdf)
105. *Werler MM, Cragan JD, Wasserman CR, et al.*: Multivitamin supplementation and multiple births. *Am J Med Genet* 1997; 71: 93-96
106. *Wolters M, Hermann S, Hahn A*: B vitamin status and concentrations of homocysteine and methylmalonic acid in elderly German women. *Am J Clin Nutr* 2003; 78: 765-772
107. *Yang Q, Botto LD, Erickson JD, et al.*: Improvement in stroke mortality in Canada and the United States, 1990 bis 2002. *Circulation* 2006; 113: 1335-1343